

**DESCRIPTION**

Premium Gold is a versatile synthetic engine oil for petrol, light diesel and LPG engines requiring API SN/CF performance or lower including most modern cars. It is ideally suited to late model vehicles calling for a 15W-40 viscosity grade and provides excellent low temperature viscometrics.

**SUMMARY OF BENEFITS**

- Premium Gold 15W-40 fully meets the API SN & CF performance requirements, offering cost efficient rationalisation for some mixed fleets
- Premium Gold 15W-40 offers good soot control, reducing oil thickening and sludge deposits
- The 15W-40 viscosity provides wear protection at low ambient temperatures combining easy low temperature engine start-up and fast oil circulation to critical engine components, together with the high temperature protection provided by an SAE 40 Viscosity
- Can be used in turbo and naturally aspirated engines, suitable for multi valve engines and LPG vehicles

**SPECIFICATIONS**

- SAE VISCOSITY 15W-40
- API SN/CF

**SUITABLE FOR**



PREMIUM GOLD	TEST METHOD	UNITS	RESULTS
DENSITY @ 15°C	ASTM D1298	kg/L	0.868
KINEMATIC VISCOSITY			
@ 40°C	ASTM D445	cSt	107
@ 100°C	ASTM D445	cSt	14.9
VISCOSITY INDEX	ASTM D2270	-	145
POUR POINT	ASTM D97	°C	-27
FLASH POINT (COC)	ASTM D92	°C	200
TOTAL BASE NUMBER	ASTM D2896	mgKOH/g	8
SULPHATED ASH	ASTM D874	% mass	1.0

*Typical characteristics are only a guide to industry and are not necessarily manufacturing or marketing specifications and do not constitute any legal liability.*

**STORAGE INSTRUCTIONS & HEALTH, SAFETY AND ENVIRONMENT INFORMATION**

All packages should be stored under cover to avoid the possible ingress of water and the obliteration of drum markings. Products should not be stored above 60°C. Health, safety and environmental information is provided for this product in the relevant Materials Safety Data Sheet, which can be obtained by contacting Gulf Western Oil on: 02 9673 9600.

**AVAILABLE PACK SIZES**

IBC - #30021B, 205LT - #30021, 20LT - #32021, 6LT - #30621, 5LT - #30521, 1LT - #30121

January 2023